

# **BRIDGESTONE**

## The premium cranes tyre range



## General - Info

# Reach new heights with Bridgestone's premium tyres for cranes

## CRANES

Heavy loads at high speed demand heavy-duty performance from your people, your equipment and your tyres. Which is why Bridgestone's premium range of Off-The-Road tyres for cranes is developed specifically to ensure long-lasting, high-speed operation together with comfortable, low-noise performance.

## AVAILABLE PATTERNS



### VHS



Engineered to perform in a variety of conditions, delivering high-speed stability, low-noise operation, even wear and outstanding durability over the entire life of the tyre.

### VGT



Specially developed for rough terrain applications featuring strong traction and flotation.

### VSW




Specially developed for snow clearance work. Very good traction and excellent cornering and braking performance on icy or soft snow surfaces.

# Cranes - Tyre line-up


Tyre size	Pattern	LI/SS	Type	Approximate Inflated Dimensions								OTD	Minimal Dual Spacing		Recommended Rim / Flange Height (inch)
				OD		OW		SLR		SLW			mm	inch	
				mm	inch	mm	inch	mm	inch	mm	inch	mm	mm	inch	
385/95 R24	VHS	170E	T/T	1356	53,4	384	15,1	626	24,6	422	16,6	23	450	17,7	10.00W
385/95 R25	VHS	170E/F	T/L	1356	53,4	384	15,1	626	24,6	422	16,6	23	450	17,7	10.00/1.5
385/95 R25	VSW	170E	T/L	1355	53,3	394	15,5	631	24,8	427	16,8	23,5	450	117,7	10.00/1.5
445/80 R25	VGT	170E	T/L	1339	52,7	440	17,3	610	24	485	19,1	24	-	-	14.00/1.5
445/95 R25	VHS	177E/174F	T/L	1484	58,4	435	17,1	684	26,9	480	18,9	25,5	513	20,2	11.25/2.0
445/95 R25	VSW	177E	T/L	1484	58,4	435	17,1	695	27,4	476	18,7	23	513	20,2	11.25/2.0
505/95 R25	VHS	186E	T/L	1590	62,6	505	19,9	727	28,6	565	22,2	26,5	587	23,1	13.00/2.5
525/80 R25	VHS	179E/176F	T/L	1480	58,3	537	21,1	677	26,7	578	22,8	31	-	-	17.00/2.0

## GRAPHICAL ILLUSTRATION OF THE APPROXIMATE INFLATED DIMENSIONS





**BRIDGESTONE EUROPE NV/SA**  
Kleine Kloosterstraat 10 - 1932 Zaventem - Belgium  
[www.bridgestone.eu](http://www.bridgestone.eu)



The information contained in this publication is for guidance purpose only. Whilst every effort has been taken in its production, no responsibility can be accepted for any loss or damage arising from any kind of undetected technical or commercial error contained in the brochure. Any data supplied in this publication is subject to possible revision following the date of publication. Due to the constant advance of tyre technology, the contents of this publication are subject to change without notice. Printed by Unides • BS OTR BSEU - 03 /15 - 1 003706